

10/518823

WO 03/107137

PCT/US03/19179

1 / 19

### Structure of Preferred embodiments of the invention




Figure 1: Structure of preferred embodiments for the invention

10/518823

PCT/US03/19179

WO 03/107137

2 / 19




Figure 2: Definition of Basis Instruments Contracts

10/5/8823

PCT/US03/19179

WO 03/107137

3 / 19




Figure 3: Derivatives Reduction

4 / 19




Figure 4: Iterative Derivatives Decomposition Process

5 / 19




Figure 5: Pricing system

6 / 19




Figure 6: Web Interface : Main screen

7 / 19

File Edit View Favorites Tools Help

Back Search Favorites Help

Address: http://192.168.1.2:8020/plk/f10.jsp?position=0&type=f10\_formInstrumentEdit

Formula:

[Insert] [Remove] [Save] F10(L,delta,K) = B00\*\*  
 $d1(i,k) = \frac{d1(i,k) - \text{sigma} * \sqrt{\delta_{(i)}}}{\text{sigma} * \sqrt{\delta_{(i)}}}$

[Insert] [Remove] [Edit]

$d1(i,k) = \frac{\ln\left(\frac{F(i)}{K}\right)}{\text{sigma} * \sqrt{\delta_{(i)}}} + \text{sigma} * \frac{\sqrt{\delta_{(i)}}}{2}$

Figure 7: Web Interface : Basis Instrument Input

10/5/8823  
PCT/US03/19179

WO 03/107137

8 / 19

http://192.168.1.2:8080/pfk/fn.jsp?pos=1&type=form&submit=Edit

### Variables:

Number of Variables: 2

Variable 0 Name: S

Formula: S()  
Low bound: LS()  
High bound: HS()

Variable 1 Name: p

Formula: p  
 $\text{p}(j) = p(j-1) + \text{Beta} * (\text{S}(j) - \text{S}(j-1))$   
Low bound: Lp(j-1) + Min(LS(j), HS(j-1), -HS(j) + LS(j-1))   
High bound: Hp(j-1) + Max(HS(j), LS(j-1), LS(j) + HS(j-1))   
Initial Value: 0.0

Figure 8: Web Interface : Payoff Function Input

9 / 19




Figure 9: Exchange trading system

10 / 19




Figure 10: Exchange Order Input & Confirmation

11 / 19




Figure 11: Model &amp; Parameter selection

12 / 19

**Basis instruments price selection process in an exchange framework:**  
*Illustration of Basis instruments syndication to market makers to most efficiently reduce derivatives prices quoted to price takers*




Figure 12: Basis instruments price selection process

10/5/8823  
PCT/US03/19179

WO 03/107137

13 / 19

Derivatives Pricing Approximation Process by selecting block units and recombining while keeping a cap on approximation error




Figure 13: Derivatives Pricing Approximation Process by selecting block units

10/518823  
PCT/US03/19179

WO 03/107137

14 / 19




Figure 14: Risk Management system

10/518823  
PCT/US03/19179

WO 03/107137

15 / 19




Figure 15: Risk Management, VAR Method

10/518823

PCT/US03/19179

WO 03/107137

16 / 19

VAR Risk Management Method




Figure 16: Risk Management, VAR Method

10/518 823

PCT/US03/19179

WO 03/107137

17 / 19




Figure 17: Risk Management, VAR danger.

10/518823

PCT/US03/19179

18 / 19




Figure 18: Compression to reduced form of Derivatives

19 / 19




Figure 19: Compression to reduced form of Basis Instruments